

SAFETY DATA SHEET according to regulation 1907/2006

Product name: LITTLE JOE BLACK VELVET

Creation date: 22.03.2022, Revision: 10.10.2022, version: 1.0

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Product name

LITTLE JOE BLACK VELVET

Product code

LJ-14

UFI:

2NW5-7EGJ-620S-GP83



<https://my.chemius.net/p/JJG1tw/en/pd/en>

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Air freshener.

Uses advised against

No information.

1.3 Details of the supplier of the safety data sheet

Distributor

Kraco Car Care International Ltd.
Pioneer House, Pioneer Business Park, North Road
CH65 1AD Ellesmere Port, United Kingdom
+44 (0) 161 927 7000

Manufacturer

Drive Italy S.r.l.
Via Molinaretti 16
Castelli Calepio BG, Italy
+39 (0) 35 039 0120
info@drive-italy.com

1.4 Emergency Telephone Number

Emergency

112

Distributor

+44 (0) 161 927 7000

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

Skin Irrit. 2; H315 Causes skin irritation.

Skin Sens. 1; H317 May cause an allergic skin reaction.

Eye Irrit. 2; H319 Causes serious eye irritation.

Aquatic Chronic 2; H411 Toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 [CLP]

**Signal word: Warning**

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H411 Toxic to aquatic life with long lasting effects.

P102 Keep out of reach of children.

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P333 + P313 If skin irritation or rash occurs: Get medical advice/attention.

P337 + P313 If eye irritation persists: Get medical advice/attention.

P501 Dispose of contents/container in accordance with local/regional/national/international regulation.

Contains:

linalyl acetate

3-methyl-4-(2,6,6-trimethyl-2-cyclohexen-1-yl)-3-buten-2-one

1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone

nonyl acetate

(R)-p-mentha-1,8-diene

pentadecan-15-olide

linalool

citral

1,2,3,5,6,7-hexahydro-1,1,2,3,3-pentamethyl-4H-inden-4-one

2-methyl-3-(4-isopropylphenyl)propanal

2,4-dimethylcyclohex-3-ene-1-carbaldehyde

cis-4-(isopropyl)cyclohexanemethanol

citronellol

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**3.1 Substances**

For mixtures see 3.2.

3.2 Mixtures

| Name | CAS EC Index Reach | % | Classification according to Regulation (EC) No 1272/2008 (CLP) | Specific Conc. Limits | Notes for substances |
|------------------------------|--|------|---|-----------------------|----------------------|
| 2,6-dimethyl-7-octen-2-ol | 18479-58-8 242-362-4 - 01-2119457274-37 | 5-10 | Skin Irrit. 2; H315 Eye Irrit. 2; H319 | / | / |
| 2,2,4,6,6-pentamethylheptane | 13475-82-6 236-757-0 - 01-2119490725-29 | 5-10 | Flam. Liq. 3; H226 Asp. Tox. 1; H304 Aquatic Chronic 3; H412 | / | / |
| linalyl acetate | 115-95-7 204-116-4 - 01-2119454789-19 | 5-10 | Skin Irrit. 2; H315 Skin Sens. 1B; H317.1B Eye Irrit. 2; H319 | / | / |

| | | | | | |
|--|---|-------|--|---|---|
| 3-methyl-4-(2,6,6-trimethyl-2-cyclohexen-1-yl)-3-buten-2-one | 127-51-5 - - 01-2119471851-35 | 2.5-5 | Skin Sens. 1; H317 Aquatic Chronic 2; H411 | / | / |
| tetrahydro-2-isobutyl-4-methylpyran-4-ol, mixed isomers (cis and trans) | 63500-71-0 405-040-6 603-101-00-3 01-0000015458-64 | 2.5-5 | Eye Irrit. 2; H319 | / | / |
| 1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone | 54464-57-2 259-174-3 - 01-2119489989-04 | 2.5-5 | Skin Irrit. 2; H315 Skin Sens. 1B; H317.1B Aquatic Chronic 1; H410; M = 1 | / | / |
| nopyl acetate | 128-51-8 800-940-9 - 01-2119982322-38 | 2.5-5 | Skin Sens. 1B; H317.1B Eye Irrit. 2; H319 Aquatic Chronic 2; H411 | / | / |
| (R)-p-mentha-1,8-diene | 5989-27-5 227-813-5 601-096-00-2 01-2119529223-47 | 1-2.5 | Flam. Liq. 3; H226 Asp. Tox. 1; H304 Skin Irrit. 2; H315 Skin Sens. 1; H317 Aquatic Acute 1; H400; M = 1 Aquatic Chronic 3; H412 | / | / |
| pentadecan-15-olide | 106-02-5 203-354-6 - 01-2119987323-31 | 1-2.5 | Skin Sens. 1; H317 Aquatic Chronic 2; H411 | / | / |
| 2-propenyl 2(3)-methylbutoxyacetate | 67634-00-8 266-803-5 - | 1-2.5 | Acute Tox. 4; H302 Skin Irrit. 2; H315 | / | / |
| terpineol acetate | 8007-35-0 232-357-5 - 01-2119977127-29 | 1-2.5 | Aquatic Chronic 2; H411 | / | / |
| patchouli oil | 8014-09-3 616-944-7 - 01-2119967775-18 | 1-2.5 | Asp. Tox. 1; H304 Aquatic Chronic 2; H411 | / | / |
| linalool | 78-70-6 201-134-4 603-235-00-2 01-2119474016-42 | 0.1-1 | Skin Irrit. 2; H315 Skin Sens. 1B; H317.1B Eye Irrit. 2; H319 | / | / |
| citral | 5392-40-5 226-394-6 605-019-00-3 01-2119462829-23 | 0.1-1 | Skin Irrit. 2; H315 Skin Sens. 1B; H317.1B Eye Irrit. 2; H319 | / | / |
| 1,2,3,5,6,7-hexahydro-1,1,2,3,3-pentamethyl-4H-inden-4-one | 33704-61-9 251-649-3 - 01-2119977131-40 | 0.1-1 | Skin Irrit. 2; H315 Skin Sens. 1; H317 Eye Irrit. 2; H319 Aquatic Chronic 2; H411 | / | / |
| 2-methyl-3-(4-isopropylphenyl)propanal | 103-95-7 203-161-7 - 01-2119970582-32 | 0.1-1 | Skin Irrit. 2; H315 Skin Sens. 1B; H317.1B Aquatic Chronic 3; H412 | / | / |
| 2,4-dimethylcyclohex-3-ene-1-carbaldehyde | 68039-49-6 268-264-1 - 01-2119982384-28 | 0.1-1 | Skin Irrit. 2; H315 Skin Sens. 1; H317 Eye Irrit. 2; H319 Aquatic Chronic 2; H411 | / | / |
| cis-4-(isopropyl)cyclohexane methanol | 13828-37-0 237-539-8 - 01-2119983532-32 | 0.1-1 | Skin Irrit. 2; H315 Skin Sens. 1B; H317.1B | / | / |
| alpha cedrene | 469-61-4 207-418-4 - | 0.1-1 | Asp. Tox. 1; H304 Aquatic Acute 1; H400; M = 1 Aquatic Chronic 1; H410; M = 1 | / | / |
| citronellol | 106-22-9 203-375-0 - 01-2119453995-23 | 0.1-1 | Skin Irrit. 2; H315 Skin Sens. 1B; H317.1B Eye Irrit. 2; H319 | / | / |

| | | | | | |
|----------------------------|---|-------|--|---|---|
| vinyl acetate | 108-05-4 203-545-4 607-023-00-0 | <0.01 | Flam. Liq. 2; H225 Acute Tox. 4; H332 STOT SE 3; H335 Carc. 2; H351 Aquatic Chronic 3; H412 | / | D |
| 2,6-di-tert-butyl-p-cresol | 128-37-0 204-881-4 - 01-2119555270-46 | <0.01 | Aquatic Acute 1; H400; M = 1 Aquatic Chronic 1; H410; M = 1 | / | / |
| toluene | 108-88-3 203-625-9 601-021-00-3 01-2119471310-51 | <0.01 | Flam. Liq. 2; H225 Asp. Tox. 1; H304 Skin Irrit. 2; H315 STOT SE 3; H336 Repr. 2; H361d STOT RE 2; H373 | / | / |

Notes for substances

| | |
|---|--|
| D | <p>Certain substances which are susceptible to spontaneous polymerisation or decomposition are generally placed on the market in a stabilised form. It is in this form that they are listed in Part 3.</p> <p>However, such substances are sometimes placed on the market in a non-stabilised form. In this case, the supplier must state on the label the name of the substance followed by the words "non-stabilised".</p> |
|---|--|

SECTION 4: FIRST AID MEASURES

4.1 First aid measures

General notes

When in doubt or if feeling unwell seek medical assistance. Show the safety data sheet and label to the physician.

Following inhalation

Remove patient to fresh air - move out of dangerous area. If symptoms develop and persist, seek medical attention.

Following skin contact

Take off all contaminated clothing. Areas of the body that have come into contact with the product must be rinsed with water. If symptoms develop and persist, seek medical attention.

Following eye contact

Immediately flush eyes with running water, keeping eyelids apart. If irritation persists, seek professional medical attention.

Following ingestion

Do not induce vomiting! Rinse mouth thoroughly with water. Never give anything by mouth to an unconscious person. Consult a physician. Show the physician the safety data sheet or label.

4.2 Most important symptoms and effects, both acute and delayed

Following inhalation

Excessive exposure to spray mist, fog, or vapours may cause respiratory irritation. Coughing, sneezing, nasal discharge, labored breathing.

Following skin contact

Itching, redness, pain. May cause sensitisation by skin contact (itching, redness, rashes).

Following eye contact

Redness, tearing, pain.

Following ingestion

May cause nausea/vomiting and diarrhea. May cause abdominal discomfort.

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media

Carbon dioxide (CO₂).

Fire extinguishing powder.

Water spray. Extinguish large fires with water spray or alcohol-resistant foam.

Unsuitable extinguishing media

Full water jet.

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products

In case of a fire toxic gases can be generated; do not inhale gases/smoke.

5.3 Advice for firefighters

Protective actions

In case of fire or heating do not breathe fumes/vapours. No action shall be taken involving any personal risk or without suitable training. Cool containers at risk with water spray. If possible remove containers from endangered area.

Special protective equipment for fire-fighters

Firefighters should wear appropriate protective clothing for firefighters (including helmets, protective boots and gloves) (EN 469) and self-contained breathing apparatus (SCBA) with a full face-piece (EN 137).

Additional information

Contaminated firefighting water and fire residues must be disposed of in accordance with the local regulations.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Protective equipment

Use personal protective equipment (Section 8).

Precautionary measures

Ensure adequate ventilation. Keep away from sources of ignition and/or heat; No smoking!

Emergency procedures

No action shall be taken involving any personal risk or without suitable training. Prevent access to unprotected personnel. Evacuate the danger zone. Avoid breathing dust. Avoid contact with skin, eyes and clothing.

For emergency responders

Use personal protective equipment.

6.2 Environmental precautions

Do not allow product to reach water/drains/sewage systems or permeable soil. If accidental large entry into water or ground occurs, inform responsible authorities.

6.3 Methods and material for containment and cleaning up

For containment

Prevent spillage - close holes on damaged container.

For cleaning up

Take up mechanically and collect in suitable container and dispose according to current regulations. Dispose in accordance with applicable regulations (see Section 13).

OTHER INFORMATION

No information.

6.4 Reference to other sections

See also sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

Protective measures

Measures to prevent fire

Ensure adequate ventilation. Keep away from sources of ignition - no smoking.

Measures to prevent aerosol and dust generation

Use general or local exhaust ventilation to prevent inhaling vapours and aerosols.

Measures to protect the environment

Avoid release to the environment.

Other measures

No information.

Advice on general occupational hygiene

Observe the usual precautionary measures when handling chemicals. Use good personal hygiene practices – wash hands at breaks and when done working with material. Do not eat, drink or smoke while working. Avoid contact with skin, eyes and clothes. Remove contaminated clothes and wash them before reuse. Wear suitable protective equipment; see Section 8.

7.2 Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions

Store in accordance with local regulations. Keep in tightly closed container.

Packaging materials

Store only in original container.

Requirements for storage rooms and vessels

Do not store in unlabelled containers.

Storage class

No information.

Further information on storage conditions

No information.

7.3 Specific end use(s)

Recommendations

No information.

Industrial sector specific solutions

No information.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Occupational Exposure limit values

| Name | mg/m ³ | ml/m ³ | Short-term value mg/m ³ | Short-term value ml/m ³ | Remark | Biological Tolerance Values |
|---------------------------------------|-------------------|-------------------|------------------------------------|------------------------------------|--------|-----------------------------|
| 2,6-Di-tert-butyl-p-cresol (128-37-0) | 10 | / | / | / | / | / |
| Toluene (108-88-3) | 191 | 50 | 384 | 100 | Sk | / |
| Vinyl acetate (108-05-4) | 17.6 | 5 | 35.2 | 10 | / | / |

Information on monitoring procedures

BS EN 14042:2003 Title Identifier: Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents. BS EN 482:2021 Workplace exposure. Procedures for the determination of the concentration of chemical agents. Basic performance requirements.

DNEL/DMEL values

For product

No information.

For components

No information.

PNEC values

For product

No information.

For components

No information.

8.2 Exposure controls

Appropriate engineering control

Substance/mixture related measures to prevent exposure during identified uses

Use good personal hygiene practices – wash hands at breaks and when done working with material. Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes and clothes. Do not eat, drink or smoke while working. Do not breathe vapours/aerosols.

Structural measures to prevent exposure

No information.

Organisational measures to prevent exposure

Remove all contaminated clothes immediately and wash them before reuse.

Technical measures to prevent exposure

Provide good ventilation and local exhaust in areas with increased concentration. Keep away from food, drink and animal feeding stuffs.

Personal protective equipment

Eye and face protection

If there is a risk of eye contact use safety glasses. Safety glasses with side protection (EN 166).

Hand protection

Protective gloves (EN 374). Before use protect hands with suitable protective cream.

Appropriate materials

Skin protection

Cotton protective clothing and shoes that cover the entire foot (EN ISO 20345).

Respiratory protection

At elevated concentrations of vapours/aerosols in the air wear a mask (EN 140) with filter A2-P2 (EN 14387). 'High/elevated concentrations' means that the occupational exposure limit values have been exceeded.

Thermal hazards

No information.

Environmental exposure controls

Substance/mixture related measures to prevent exposure

No information.

Instruction measures to prevent exposure

No information.

Organisational measures to prevent exposure

No information.

Technical measures to prevent exposure

Do not allow product to reach drains, sewage systems or ground water.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Physical state

solid - liquid impregnated into a solid support

Colour

black red blue

Odour

characteristic

Important health, safety and environmental information

| | |
|-------------------------------------|---|
| Odour threshold | No information. |
| pH | substance/mixture is non-soluble (in water) |
| Melting point/Freezing point | No information. |
| Initial boiling point/boiling range | No information. |
| Flash point | > 61 °C |
| Evaporation rate | No information. |
| Flammability (solid, gas) | No information. |
| Explosion limits (vol%) | No information. |
| Vapour pressure | No information. |
| Vapour density | No information. |
| Density / weight | No information. |
| Solubility | No information. |
| Partition coefficient | No information. |
| Auto-ignition temperature | No information. |
| Decomposition temperature | No information. |
| Viscosity | No information. |
| Explosive properties | No information. |
| Oxidising properties | No information. |

9.2 OTHER INFORMATION

No information.

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity

Stable under recommended transport or storage conditions.

10.2 Chemical stability

Product is stable under normal conditions of use, recommended handling and storage conditions.

10.3 Possibility of hazardous reactions

No dangerous reactions occur under normal conditions of storage and use.

10.4 Conditions to avoid

Protect from heat, direct sunlight, open fire, sparks.

10.5 Incompatible materials

Oxidants.
Strong bases.
Strong acids.

10.6 Hazardous decomposition products

Under normal use conditions no hazardous decomposition products are expected. In case of fire/explosion vapours/gases that pose a health hazard are released. Carbon dioxide; Carbon monoxide. Nitrogen oxides. Smoke.

SECTION 11: TOXICOLOGICAL INFORMATION**11.1 Information on toxicological effects****(a) Acute toxicity**

For product

| Exposure route | Type | Species | Time | value | Method | Remark |
|----------------|------|---------|------|--------------|--------|--------|
| oral | ATE | / | / | > 2000 mg/kg | / | / |
| inhalation | ATE | / | / | > 20 mg/l | / | / |

Additional information

The product is not classified for acute toxicity.

(b) Skin corrosion/irritation

No information.

Additional information

Causes skin irritation.

(c) Serious eye damage/irritation

No information.

Additional information

Causes serious eye irritation.

(d) Respiratory or skin sensitisation

No information.

Additional information

May cause an allergic skin reaction.

(e) (Germ cell) mutagenicity

No information.

(f) Carcinogenicity

No information.

(g) Reproductive toxicity

No information.

Summary of evaluation of the CMR properties

The product is not classified as carcinogenic, mutagenic or toxic for reproduction.

(h) STOT-single exposure

No information.

Additional information

STOT SE (single exposure): Not classified.

(i) STOT-repeated exposure

No information.

Additional information

STOT RE (repeated exposure): Not classified.

(j) Aspiration hazard

No information.

Additional information

Aspiration hazard: Not classified.

SECTION 12: ECOLOGICAL INFORMATION**12.1 Toxicity****Acute (short-term) toxicity**

No information.

Chronic (long-term) toxicity

No information.

12.2 Persistence and degradability**Abiotic degradation, physical- and photo-chemical elimination**

No information.

Biodegradation

No information.

12.3 Bioaccumulative potential**Partition coefficient**

No information.

Bioconcentration factor (BCF)

No information.

12.4 Mobility in soil**Known or predicted distribution to environmental compartments**

No information.

Surface tension

No information.

Adsorption/Desorption

No information.

12.5 Results of PBT and vPvB assessment

The components in this formulation do not meet the criteria for classification as PBT or vPvB.

12.6 Other adverse effects

No information.

12.7 Additional information**For product**

Toxic to aquatic life with long lasting effects. Water hazard class 2 (self-assessment): hazardous for water. Do not allow to reach ground water, water courses or sewage system.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product / Packaging disposal

Waste chemical

Dispose of in accordance with applicable waste disposal regulation. Do not allow product to reach drains/sewage systems. Dispose the product to an authorised collector/remover of waste/company performing waste recovery. Smaller quantities can be disposed of with household waste.

Waste codes / waste designations according to LoW

20 03 01 - mixed municipal waste

Packaging

The packaging must be disposed in accordance with local or national regulations. Deliver completely emptied containers to approved waste disposal authorities.

Waste codes / waste designations according to LoW

No information.

Waste treatment-relevant information

No information.









Sewage disposal-relevant information

No information.

Other disposal recommendations

No information.

SECTION 14: TRANSPORT INFORMATION

| ADR/RID | IMDG | IATA | ADN |
|---|---|---|---|
| 14.1 UN number | | | |
| UN 3077 | UN 3077 | UN 3077 | UN 3077 |
| 14.2 UN proper shipping name | | | |
| ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone) | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone) | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone) | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone) |
| 14.3 Transport hazard class(es) | | | |
| 9 | 9 | 9 | 9 |
|  |  |  |  |
|  |  |  |  |
| 14.4 Packing group | | | |
| III | III | III | III |
| 14.5 Environmental hazards | | | |

| | | | |
|--|---|--|----------------------------|
| YES | Marine pollutant | YES | YES |
| 14.6 Special precautions for user | | | |
| Limited quantities 5 kg Special provisions 274, 335, 375, 601 Packing Instructions P002, IBC08, LP02, R001 Special packing provisions PP12, B3 Transport category 3 Tunnel restriction code (-) | Limited quantities 5 kg EmS F-A, S-F Flash point 61 °C | Limited Quantity, Packing Instructions (Ltd Qty, Pkg Inst) Y956 Limited Quantity, Maximum Net Quantity/Package (Ltd Qty, Max Net Qty/Pkg) 30 kg G Packing Instructions (Pkg Inst) 956 Maximum Net Quantity/Package (Max Net Qty/Pkg) 400 kg Cargo Aircraft Only, Packing Instructions (CAO, Pkg Inst) 956 Cargo Aircraft Only, Maximum Net Quantity/Package (CAO, Max Net Qty/Pkg) 400 kg Special provisions A97, A158, A179, A197 Excepted quantities E1 ERG code 9L | Limited quantities 5 kg |
| 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code | | | |
| VC1, VC2 | VC1, VC2 | Not given/not applicable | Not given/not applicable |

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (including last amendment Commission Regulation (EU) 2015/830)

- Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures

Information according 2004/42/EC about limitation of emissions of volatile organic compounds (VOC-guideline)
not applicable

Regulation EC 648/2004 on detergents

No information.

Special instructions

Water hazard class 2 (self-assessment): hazardous for water.

15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

SECTION 16: OTHER INFORMATION

Indication of changes

No information.

Key literature references and sources for data

No information.

Abbreviations and acronyms

ATE - Acute Toxicity Estimate
ADR - Agreement concerning the International Carriage of Dangerous Goods by Road
ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
CEN - European Committee for Standardisation
C&L - Classification and Labelling
CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
CAS# - Chemical Abstracts Service number
CMR - Carcinogen, Mutagen, or Reproductive Toxicant
CSA - Chemical Safety Assessment
CSR - Chemical Safety Report
DMEL - Derived Minimal Effect Level
DNEL - Derived No Effect Level
DPD - Dangerous Preparations Directive 1999/45/EC
DSD - Dangerous Substances Directive 67/548/EEC
DU - Downstream User
EC - European Community
ECHA - European Chemicals Agency
EC-Number - EINECS and ELINCS Number (see also EINECS and ELINCS)
EEA - European Economic Area (EU + Iceland, Liechtenstein and Norway)
EEC - European Economic Community
EINECS - European Inventory of Existing Commercial Substances
ELINCS - European List of notified Chemical Substances
EN - European Standard
EQS - Environmental Quality Standard
EU - European Union
Euphrac - European Phrase Catalogue
EWC - European Waste Catalogue (replaced by LoW – see below)
GES - Generic Exposure Scenario
GHS - Globally Harmonized System
IATA - International Air Transport Association
ICAO-TI - Technical Instructions for the Safe Transport of Dangerous Goods by Air
IMDG - International Maritime Dangerous Goods
IMSBC - International Maritime Solid Bulk Cargoes
IT - Information Technology
IUCLID - International Uniform Chemical Information Database
IUPAC - International Union for Pure Applied Chemistry
JRC - Joint Research Centre
Kow - octanol-water partition coefficient
LC50 - Lethal Concentration to 50 % of a test population
LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose)
LE - Legal Entity
LoW - List of Wastes (see <http://ec.europa.eu/environment/waste/framework/list.htm>)
LR - Lead Registrant
M/I - Manufacturer / Importer
MS - Member States
MSDS - Material Safety Data Sheet
OC - Operational Conditions
OECD - Organization for Economic Co-operation and Development
OEL - Occupational Exposure Limit
OJ - Official Journal
OR - Only Representative
OSHA - European Agency for Safety and Health at work
PBT - Persistent, Bioaccumulative and Toxic substance
PEC - Predicted Effect Concentration
PNEC(s) - Predicted No Effect Concentration(s)
PPE - Personal Protection Equipment
(Q)SAR - Qualitative Structure Activity Relationship
REACH - Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006
RID - Regulations concerning the International Carriage of Dangerous Goods by Rail
RIP - REACH Implementation Project
RMM - Risk Management Measure
SCBA - Self-Contained Breathing Apparatus
SDS - Safety data sheet
SIEF - Substance Information Exchange Forum

SME - Small and Medium sized Enterprises
STOT - Specific Target Organ Toxicity
(STOT) RE - Repeated Exposure
(STOT) SE - Single Exposure
SVHC - Substances of Very High Concern
UN - United Nations
vPvB - Very Persistent and Very Bioaccumulative

List of relevant H phrases

H225 Highly flammable liquid and vapour.
H226 Flammable liquid and vapour.
H302 Harmful if swallowed.
H304 May be fatal if swallowed and enters airways.
H315 Causes skin irritation.
H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.
H332 Harmful if inhaled.
H335 May cause respiratory irritation.
H336 May cause drowsiness or dizziness.
H351 Suspected of causing cancer.
H361d Suspected of damaging the unborn child.
H373 May cause damage to organs through prolonged or repeated exposure.
H400 Very toxic to aquatic life.
H410 Very toxic to aquatic life with long lasting effects.
H411 Toxic to aquatic life with long lasting effects.
H412 Harmful to aquatic life with long lasting effects.