

**Stonechip - Black**

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP) &amp; 2020/878

**SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING****1.1 Product identifier**

Product Name Stonechip - Black  
Product code 0986  
Unique Formula Identifier (UFI) XS00-E0WF-3000-CUVD

**1.2 Relevant identified uses of the substance or mixture and uses advised against**

Identified Use(s) Not known.  
Uses Advised Against Not known.

**1.3 Details of the supplier of the safety data sheet**

Manufacturer  
Company Identification Granville Oil & Chemicals Ltd  
Address of Manufacturer 29 Goldthorpe Ind. Est.,  
Goldthorpe,  
Rotherham,  
South Yorkshire,  
Postal code S63 9BL  
Telephone: +44 (0)1709 890099  
Fax Not known.  
E-mail lab@granvilleoil.com  
Office hours 08:00 - 17:00  
Responsible Person  
Company Identification Veedol Deutschland GmbH  
Address of Responsible Person Hans-Böckler-Straße 10  
Langenfeld,  
Germany

Postal code 40764  
Telephone: +49 (0) 2173 893 30 30  
Fax Not known.  
E-mail lab@granvilleoil.com

**1.4 Emergency telephone number**

Emergency Phone No. +44 (0)1709 890099  
Contact Granville Lab

**SECTION 2: HAZARDS IDENTIFICATION****2.1 Classification of the substance or mixture**

Regulation (EC) No. 1272/2008 (CLP) Flam. Liq. 2 :Highly flammable liquid and vapour.  
Skin Irrit. 2 :Causes skin irritation.  
Eye Irrit. 2 :Causes serious eye irritation.  
STOT SE 3 :May cause drowsiness or dizziness.

**Stonechip - Black**

Aquatic Chronic 2 :Toxic to aquatic life with long lasting effects.

**2.2 Label elements**

According to Regulation (EC) No. 1272/2008 (CLP)

Product Name

Stonechip - Black

Contains

Naphtha (petroleum), hydrotreated light  
Ethyl acetate  
Solvent naphtha (petroleum), light arom.

Hazard Pictogram(s)



GHS02



GHS07



GHS09

Signal Word(s)

Danger

Hazard Statement(s)

H225: Highly flammable liquid and vapour.

H315: Causes skin irritation.

H319: Causes serious eye irritation.

H336: May cause drowsiness or dizziness.

H411: Toxic to aquatic life with long lasting effects.

Precautionary Statement(s)

P102: Keep out of reach of children.

P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P271: Use only outdoors or in a well-ventilated area.

P273: Avoid release to the environment.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P403+P235: Store in a well-ventilated place. Keep cool.

P501: Dispose of contents in accordance with local, state or national legislation.

Unique Formula Identifier (UFI)

XS00-E0WF-3000-CUVD

**2.3 Other hazards**

None known.

**2.4 Additional Information**

For full text of H/P Statements see section 16.

**SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS****3.1 Substances**

Not applicable.

**3.2 Mixtures**

**Stonechip - Black**

HAZARDOUS INGREDIENT(S)	CAS No.	EC No. / REACH Registration No.	%W/ W	Hazard Statement(s)	Hazard Pictogram(s)
Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics	64742-49-0	927-510-4 01-2119475515-33	10- <25	Flam. Liq. 2 H225 Asp. Tox. 1 H304 Skin Irrit. 2 H315 STOT SE 3 H336 Aquatic Chronic 2 H411	GHS02 GHS08 GHS07 GHS09
ethyl acetate	141-78-6	205-500-4	10- <25	Flam. Liq. 2 H225 Eye Irrit. 2 H319 STOT SE 3 H336	GHS02 GHS07
Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane		921-024-6	5-<10	Flam. Liq. 2 H225 Asp. Tox. 1 H304 Skin Irrit. 2 H315 STOT SE 3 H336 Aquatic Chronic 2 H411	GHS02 GHS08 GHS07 GHS09
Hydrocarbons, C7-C9, n-alkanes, isoalkanes, cyclics		920-750-0	5-<10	Flam. Liq. 2 H225 Asp. Tox. 1 H304 STOT SE 3 H336 Aquatic Chronic 2 H411	GHS02 GHS08 GHS07 GHS09
Hydrocarbons, C9, aromatics		918-668-5	3-<5	Flam. Liq. 3 H226 Asp. Tox. 1 H304 STOT SE 3 H335 STOT SE 3 H336 Aquatic Chronic 2 H411	GHS02 GHS08 GHS07 GHS09

Contains no non-classified vPvB substances.

Contains no non-classified substances with a Union workplace exposure limit.

For full text of H/P Statements see section 16.

**SECTION 4: FIRST AID MEASURES****4.1 Description of first aid measures**

Inhalation	In case of unconsciousness place patient stably in side position for transportation
Skin Contact	Immediately wash with water and soap and rinse thoroughly. Immediately rinse with water. If skin irritation continues, consult a doctor
Eye Contact	Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
Ingestion	If symptoms persist consult doctor.

**4.2 Most important symptoms and effects, both acute and delayed**

May cause irritation.



## Stonechip - Black

### 4.3 Indication of any immediate medical attention and special treatment needed

Specific treatment (see Medical Advice on this label). Call a POISON CENTRE/doctor if you feel unwell. Treat symptomatically.

## SECTION 5: FIREFIGHTING MEASURES

### 5.1 Extinguishing media

Suitable Extinguishing media Sand, CO<sub>2</sub>, sand, extinguishing powder.

Unsuitable extinguishing media Do not use water.

### 5.2 Special hazards arising from the substance or mixture

Highly flammable liquid and vapour. May decompose in a fire, giving off toxic and irritant vapours.

### 5.3 Advice for firefighters

Fire fighters should wear complete protective clothing including self-contained breathing apparatus. If it is safe to do so, containers should be removed from fire area because they are likely to rupture under fire conditions.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

### 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away. Avoid contact with skin, eyes and clothes.

### 6.2 Environmental precautions

Do not allow product to reach sewage system or any water course. Prevent seepage into sewage system, workpits and cellars. Inform respective authorities in case of seepage into water course or sewage system. Do not allow to enter sewers/ surface or ground water.

### 6.3 Methods and material for containment and cleaning up

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13. Ensure adequate ventilation. Do not flush with water or aqueous cleansing agents.

### 6.4 Reference to other sections

See Also Section 8, 13.

## SECTION 7: HANDLING AND STORAGE

### 7.1 Precautions for safe handling

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container tightly closed. Use explosion-proof electrical/ventilating/lighting/equipment. Use non-sparking tools. Take action to prevent static discharges. Avoid breathing dust/fume/gas/mist/vapours/spray. Wash hands and exposed skin thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection.

### 7.2 Conditions for safe storage, including any incompatibilities

**Stonechip - Black**

Storage temperature	Store in a well-ventilated place. Keep cool. Keep container tightly closed. Store locked up.
Storage life	Ambient.
Incompatible materials	Stable under normal conditions.
<b>7.3 Specific end use(s)</b>	None known.
	Not known.

**SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION****8.1 Control parameters**

## 8.1.1 Occupational Exposure Limits

Occupational Exposure Limits						
SUBSTANCE.	CAS No.	LTEL (8 hr TWA ppm)	LTEL (8 hr TWA mg/m <sup>3</sup> )	STEL (ppm)	STEL (mg/m <sup>3</sup> )	Note
Ethyl acetate	141-78-6	200	734	400	1468	

Region	Source
United Kingdom	UK Workplace Exposure Limits EH40/2005 (Fourth edition, published 2020)

Remark	Notes
--------	-------

**8.2 Exposure controls**

8.2.1. Appropriate engineering controls Use non-sparking ventilation systems, approved explosion-proof equipment, and intrinsically safe electrical systems. Ensure adequate ventilation. A washing facility/water for eye and skin cleaning purposes should be present.

## 8.2.2. Personal protection equipment



Eye Protection Wear eye protection with side protection (EN166).



Skin protection Wear protective clothing and gloves: Impervious gloves (EN 374).



Respiratory protection Filter A



Thermal hazards None known.

8.2.3. Environmental Exposure Controls Spillages or uncontrolled discharges into watercourses must be alerted to the appropriate regulatory body.

**SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

**Stonechip - Black****9.1 Information on basic physical and chemical properties**

Physical state	Liquid.
Colour	Black.
Odour	Characteristic.
Melting point/freezing point	Not known.
Boiling point or initial boiling point and boiling range	75-77.5 ° C.
Flammability	Not known.
Lower and upper explosion limit	Lower 1 Vol % Upper 11.5 Vol %
Flash Point	-9 ° C (DIN 53213).
Auto-ignition temperature	Product is not self-igniting.
Decomposition Temperature	Not known.
pH	Not known.
Kinematic Viscosity	Dynamic At 20 ° C: 690 mPas.
Solubility	Solubility (Water) : Not miscible or difficult to mix. Solubility (Other) : Not known.
Partition coefficient n-octanol/water (log value)	Not known.
Vapour pressure	Not known.
Density and/or relative density	1.04 g/cm <sup>3</sup> (DIN 51757).
Relative vapour density	Not known.
Particle characteristics	Not known.

**9.2 Other information**

VOC (EU)	51.09 %
VOC (EU)	531.3 g/l
VOCV	51.09 %.

**SECTION 10: STABILITY AND REACTIVITY****10.1 Reactivity**

None anticipated.

**10.2 Chemical Stability**

Stable under normal conditions.

**10.3 Possibility of hazardous reactions**

No hazardous reactions known if used for its intended purpose.

**10.4 Conditions to avoid**

Avoid friction, sparks, or other means of ignition.

**10.5 Incompatible materials**

Not known.

**10.6 Hazardous decomposition products**

Carbon monoxide.

**SECTION 11: TOXICOLOGICAL INFORMATION****11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**

Acute toxicity - Ingestion Calculation method : Not classified.

**Stonechip - Black**

Acute toxicity - Skin Contact	Calculation method : Not classified.
Acute toxicity - Inhalation	Calculation method : Not classified.
Skin corrosion/irritation	Calculation method : Causes skin irritation.
Serious eye damage/irritation	Calculation method : Causes serious eye irritation.
Skin sensitization data	Calculation method : Not classified.
Respiratory sensitization data	Calculation method : Not classified.
Germ cell mutagenicity	Calculation method : Not classified.
Carcinogenicity	Calculation method : Not classified.
Reproductive toxicity	Calculation method : Not classified.
Lactation	Calculation method : Not classified.
STOT - single exposure	Calculation method : May cause drowsiness or dizziness.
STOT - repeated exposure	Calculation method : Not classified.
Aspiration hazard	Self classification: Not classified.

**11.2 Information on other hazards**

Not known.

**SECTION 12: ECOLOGICAL INFORMATION****12.1 Toxicity**

Toxic to aquatic life with long lasting effects.

Toxicity - Aquatic invertebrates	Not known.
Toxicity - Fish	Not known.
Toxicity - Algae	Not known.
Toxicity - Sediment Compartment	Not classified.
Toxicity - Terrestrial Compartment	Not classified.

**12.2 Persistence and degradability**

Not known.

**12.3 Bioaccumulative potential**

Not known.

**12.4 Mobility in soil**

Not known.

**12.5 Results of PBT and vPvB assessment**

Not known.

**12.6 Endocrine disrupting properties**

None known.

**12.7 Other adverse effects**

Not known.

**SECTION 13: DISPOSAL CONSIDERATIONS****13.1 Waste treatment methods**

Dispose of contents in accordance with local, state or national legislation.  
Recycle only completely emptied packaging. Containers must not be punctured or destroyed by burning, even when empty. Do not allow to enter drains, sewers or watercourses. Do NOT landfill. Normal disposal is via incineration operated

**Stonechip - Black**

by an accredited disposal contractor. Send to a licensed recycler, reclaimor or incinerator. Dispose of this material and its container to hazardous or special waste collection point. Dispose at suitable refuse site.

**13.2 Additional Information**

Disposal should be in accordance with local, state or national legislation.

**SECTION 14: TRANSPORT INFORMATION****14.1 UN number or ID number**

UN No. 1139

**14.2 UN proper shipping name**

UN proper shipping name COATING SOLUTION

**14.3 Transport hazard class(es)**

ADR/RID

ADR/RID Class	3
ADR Classification Code	F1
Special Provisions	640D
Limited Quantities	5 L
Excepted Quantities	E2
Emergency Action Code	•3YE
Mixed Packing Instructions for Packages	P001 IBC02 R001
Special Packing Provisions for Packages	
Mixed Packing Instructions for Packages	MP19
Packing Instructions for Portable Tanks	T4
Special Provisions for Portable Tanks	TP1 TP8
Tank Code for Tanks	LGBF
Special Provisions for Tanks	
Vehicle for Tank Carriage	FL
ADR Transport Category	2
Tunnel Restriction Code	D/E
Special Provisions for Carriage - Packages	
Special Provisions for Carriage - Bulk	
Special Provisions for Carriage - Loading, Unloading and Handling	
Special Provisions for Carriage - Operation	S2 S20
ADR HIN	33
IMDG	
IMDG Class	3
Special Provisions	640D
Limited Quantities	5 L
Excepted Quantities	E2



**Stonechip - Black**

Mixed Packing Instructions for Packages	P001 IBC02 R001
Special Packing Provisions for Packages	
Packing Instructions for Portable Tanks	T4
Special Provisions for Portable Tanks	TP1 TP8
IMDG EMS	F-E, S-E
Stowage and Handling	Category B
Segregation	
Marine Pollutant	
ICAO/IATA	
IATA Proper Shipping Name	COATING SOLUTION
Excepted Quantities	E2
Passenger and Cargo Aircraft Limited	Y341
Quantities Packing Instructions	
Passenger and Cargo Aircraft Limited	1L
Quantities Max net Qty	
Passenger and Cargo Aircraft Packing Instructions	353
Passenger and Cargo Aircraft Max net Qty	5L
Cargo Aircraft Packing Instructions	364
Cargo Aircraft Max net Qty	60L
Special Provisions	A3
Emergency Response Guidebook (ERG) Code	3L
Labels	
Labels	3

**14.4 Packing group**

Packing group II

**14.5 Environmental hazards**

Environmental hazards Classified as a Marine Pollutant.

**14.6 Special precautions for user**

Special precautions for user Not known.

**14.7 Maritime transport in bulk according to IMO instruments**

No information available

**SECTION 15: REGULATORY INFORMATION****15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

European Regulations - Authorisations and/or Restrictions On Use

Candidate List of Substances of Very High Concern for Authorisation Not listed

High Concern for Authorisation

**Stonechip - Black**

REACH: ANNEX XIV list of substances Not listed  
subject to authorisation

REACH: Annex XVII Restrictions on the Mutagens: category 1B (64742-49-0), ethyl acetate (141-78-6), Hydrocarbons,  
manufacture, placing on the market and C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane (), Hydrocarbons, C7-C9, n-  
use of certain dangerous substances, alkanes, isoalkanes, cyclics (), Hydrocarbons, C9, aromatics ()  
mixtures and articles

Community Rolling Action Plan Not listed  
(CoRAP)

Regulation (EU) N° 2019/1021 of the Not listed  
European Parliament and of the Council  
on persistent organic pollutants

Regulation (EC) N° 1005/2009 on Not listed  
substances that deplete the ozone layer

Regulation (EU) N° 649/2012 of the Not listed  
European Parliament and of the Council  
concerning the export and import of  
hazardous chemicals

**National regulations**

Other Not known.

**15.2 Chemical Safety Assessment**

A REACH chemical safety assessment has not been carried out.

**SECTION 16: OTHER INFORMATION**

The following sections contain revisions or new statements:

**LEGEND**

Hazard Pictogram(s)



GHS02



GHS07



GHS09

GHS08: GHS: Health hazard

Hazard classification

Flam. Liq. 2 : Flammable liquid, Category 2

Flam. Liq. 3 : Flammable liquid, Category 3

Asp. Tox. 1 : Aspiration hazard, Category 1

Skin Irrit. 2 : Skin corrosion/irritation, Category 2

Eye Irrit. 2 : Serious eye damage/irritation, Category 2

STOT SE 3 : Specific target organ toxicity — single exposure, Category 3

STOT SE 3 : Specific target organ toxicity — single exposure, Category 3

Aquatic Chronic 2 : Hazardous to the aquatic environment, Chronic, Category 2

**Stonechip - Black**

## Hazard Statement(s)

H225: Highly flammable liquid and vapour.  
H226: Flammable liquid and vapour.  
H304: May be fatal if swallowed and enters airways.  
H315: Causes skin irritation.  
H319: Causes serious eye irritation.  
H335: May cause respiratory irritation.  
H336: May cause drowsiness or dizziness.  
H411: Toxic to aquatic life with long lasting effects.

## Precautionary Statement(s)

P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P233: Keep container tightly closed.  
P240: Ground and bond container and receiving equipment.  
P241: Use explosion-proof electrical/ventilating/lighting/equipment.  
P242: Use non-sparking tools.  
P243: Take action to prevent static discharges.  
P261: Avoid breathing dust/fume/gas/mist/vapours/spray.  
P264: Wash hands and exposed skin thoroughly after handling.  
P271: Use only outdoors or in a well-ventilated area.  
P273: Avoid release to the environment.  
P280: Wear protective gloves/protective clothing/eye protection/face protection.  
P302+P352: IF ON SKIN: Wash with plenty of water.  
P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.  
P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P312: Call a POISON CENTRE/doctor if you feel unwell.  
P321: Specific treatment (see Medical Advice on this label).  
P332+P313: If skin irritation occurs: Get medical advice/attention.  
P337+P313: If eye irritation persists: Get medical advice/attention.  
P362+P364: Take off contaminated clothing and wash it before reuse.  
P370+P378: In case of fire: Use water spray, dry powder or carbon dioxide to extinguish.  
P391: Collect spillage.  
P403+P233: Store in a well-ventilated place. Keep container tightly closed.  
P403+P235: Store in a well-ventilated place. Keep cool.  
P405: Store locked up.  
P501: Dispose of contents in accordance with local, state or national legislation.

**Stonechip - Black**

## Acronyms

ADN : European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways  
ADR : European Agreement concerning the International Carriage of Dangerous Goods by Road  
ATE : Acute Toxicity Estimate  
CAS : Chemical Abstracts Service  
CLP : Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures  
DNEL : Derived No Effect Level  
EC : European Community  
EINECS : European Inventory of Existing Commercial Chemical Substances  
IATA : International Air Transport Association  
IBC : Intermediate Bulk Container  
ICAO : International Civil Aviation Organization  
IMDG : International Maritime Dangerous Goods  
LTEL : Long term exposure limit  
PBT : Persistent, Bioaccumulative and Toxic  
PNEC : Predicted No Effect Concentration  
REACH : Registration, Evaluation, Authorisation and Restriction of Chemicals  
RID : Regulations concerning the International Carriage of Dangerous Goods by Rail  
STEL : Short term exposure limit  
STOT : Specific Target Organ Toxicity  
UN : United Nations  
vPvB : very Persistent and very Bioaccumulative

Key literature references and sources  
for data used to compile the SDS

Regulation (EC) No. 1272/2008 (CLP)

## Disclaimers

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Granville Oil & Chemicals Ltd gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Granville Oil & Chemicals Ltd accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.