

**Smooth Metal Paint - White**

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP) &amp; 2020/878

**SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING****1.1 Product identifier**

Product Name Smooth Metal Paint – White  
Product code 9530, 9528, 9531, 9529, 4156, 4157, 4158, 1689, 1685, 0573, 2490, 2322, 2845,  
2846  
Unique Formula Identifier (UFI) P830-30WX-Y00C-JRS8

**1.2 Relevant identified uses of the substance or mixture and uses advised against**

Identified Use(s) PC9a Coatings and paints, thinners, paint removers  
Uses Advised Against Not known.

**1.3 Details of the supplier of the safety data sheet****Manufacturer**

Company Identification Granville Oil & Chemicals Ltd  
Address of Manufacturer 29 Goldthorpe Ind. Est.,  
Goldthorpe,  
Rotherham,  
South Yorkshire,  
Postal code S63 9BL  
Telephone: +44 (0)1709 890099  
Fax Not known.  
E-mail lab@granvilleoil.com  
Office hours 08:00 - 17:00

**Responsible Person**

Company Identification Veedol Deutschland GmbH  
Address of Responsible Person Hans-Böckler-Straße 10  
Langenfeld,  
Germany  
Postal code 40764  
Telephone: +49 (0) 2173 893 30 30  
Fax Not known.  
E-mail lab@granvilleoil.com  
Office hours

**1.4 Emergency telephone number**

Emergency Phone No. +44 (0)1709 890099  
Contact Granville Lab  
National response centre  
Address NHS Direct  
Emergency Phone No. +44 111

**SECTION 2: HAZARDS IDENTIFICATION****2.1 Classification of the substance or mixture**

**Smooth Metal Paint - White**

Regulation (EC) No. 1272/2008 (CLP) Flam. Liq. 3 :Flammable liquid and vapour.  
Skin Sens. 1A :May cause an allergic skin reaction.  
STOT SE 3 :May cause drowsiness or dizziness.  
Aquatic Chronic 3 :Harmful to aquatic life with long lasting effects.

**2.2 Label elements**

According to Regulation (EC) No. 1272/2008 (CLP)  
Product Name Smooth Metal Paint - White

Hazard Pictogram(s)



GHS02



GHS07

Signal Word(s)

Warning

Hazard Statement(s)

H226: Flammable liquid and vapour.  
H317: May cause an allergic skin reaction.  
H336: May cause drowsiness or dizziness.  
H412: Harmful to aquatic life with long lasting effects.

Precautionary Statement(s)

P101: If medical advice is needed, have product container or label at hand.  
P102: Keep out of reach of children.  
P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P261: Avoid breathing dust/fume/gas/mist/vapours/spray.  
P271: Use only outdoors or in a well-ventilated area.  
P273: Avoid release to the environment.  
P280: Wear protective gloves/protective clothing/eye protection/face protection.

Unique Formula Identifier (UFI)

P830-30WX-Y00C-JRS8

**2.3 Other hazards**

Supplemental label information

EUH211: Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.

Contains

HYDROCARBONS, C9-C11, n-ALKANES, ISOALKANES, CYCLICS,

**2.4 Additional Information**

For full text of H/P Statements see section 16.

**SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS****3.1 Substances**

**Smooth Metal Paint - White**

Not applicable.

**3.2 Mixtures**

| HAZARDOUS INGREDIENT(S)  | CAS No.    | EC No. / REACH<br>Registration No. | %W/W  | Hazard Statement(s)   | Hazard<br>Pictogram(s)           |
|--|------------|------------------------------------|-------|---|----------------------------------|
| Hydrocarbons, C9-C11, n-alkanes,<br>isoalkanes, cyclics, <2% aromatics | 64742-48-9 | 919-857-5                          | 30-60 | Flam. Liq. 3 H226<br>Asp. Tox. 1 H304<br>STOT SE 3 H336   | GHS02<br>GHS08<br>GHS07          |
| Hydrocarbons, C9, aromatics  | 64742-95-6 | 918-668-5                          | 5-10  | Flam. Liq. 3 H226<br>Asp. Tox. 1 H304<br>STOT SE 3 H335<br>STOT SE 3 H336<br>Aquatic Chronic 2 H411         | GHS02<br>GHS08<br>GHS07<br>GHS09 |
| trizinc bis(orthophosphate)  | 7779-90-0  | 231-944-3                          | <1    | Aquatic Acute 1 H400<br>Aquatic Chronic 1 H410  | GHS09                            |
| cobalt bis(2-ethylhexanoate)   | 136-52-7   | 205-250-6                          | <0.3  | Skin Sens. 1A H317<br>Eye Irrit. 2 H319<br>Repr. 1B H360F<br>Aquatic Acute 1 H400<br>Aquatic Chronic 3 H412 | GHS08<br>GHS07<br>GHS09          |

Contains no non-classified vPvB substances.

Contains no non-classified substances with a Union workplace exposure limit.

For full text of H/P Statements see section 16.

**SECTION 4: FIRST AID MEASURES****4.1 Description of first aid measures**

|              |   |
|--------------|---|
| Inhalation   | Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. When breathing is difficult, properly trained personnel may assist affected person by administering oxygen. Get medical attention if symptoms are severe or persist. |
| Skin Contact | Remove contaminated clothing. Wash skin thoroughly with soap and water. Get medical attention promptly if symptoms occur after washing.   |
| Eye Contact  | Remove any contact lenses and open eyelids wide apart. Rinse with water. Continue to rinse for at least 15 minutes. Get medical attention if irritation persists after washing.   |
| Ingestion    | Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Give plenty of water to drink. Never give anything by mouth to an unconscious person. Do not induce vomiting. If vomiting occurs, the                                |

**Smooth Metal Paint - White**

head should be kept low so that vomit does not enter the lungs. Get medical attention immediately.

**4.2 Most important symptoms and effects, both acute and delayed**

No data available on the mixture itself.

**4.3 Indication of any immediate medical attention and special treatment needed**

Treat symptomatically.

**SECTION 5: FIREFIGHTING MEASURES****5.1 Extinguishing media**

Suitable Extinguishing media                      Extinguish with the following media: Foam. Dry chemicals, sand, dolomite etc.  
Unsuitable extinguishing media                None known.

**5.2 Special hazards arising from the substance or mixture**

Flammable liquid and vapour. Thermal decomposition or combustion products may include the following substances: Toxic gases or vapours. Carbon dioxide (CO<sub>2</sub>). Carbon monoxide (CO).

**5.3 Advice for firefighters**

Move containers from fire area if it can be done without risk. Cool containers exposed to flames with water until well after the fire is out.  
Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.

**SECTION 6: ACCIDENTAL RELEASE MEASURES****6.1 Personal precautions, protective equipment and emergency procedures**

Personal precautions                                Wear protective clothing as described in Section 8 of this safety data sheet.  
For non-emergency personnel                Keep unnecessary and unprotected personnel away from the area.

**6.2 Environmental precautions**

Use appropriate containment to avoid environmental contamination.

**6.3 Methods and material for containment and cleaning up**

Wear suitable protective equipment, including gloves, goggles/face shield, respirator, boots, clothing or apron, as appropriate. Absorb in vermiculite, dry sand or earth and place into containers. Avoid the spillage or runoff entering drains, sewers or watercourses.

**6.4 Reference to other sections**

See Also Section 8, 13.

**SECTION 7: HANDLING AND STORAGE****7.1 Precautions for safe handling**

Usage precautions                                Avoid spilling. Avoid contact with skin and eyes. Provide adequate ventilation. Avoid inhalation of vapours. Use approved respirator if air contamination is above an acceptable level.

**Smooth Metal Paint - White**

Advice on general occupational hygiene Do not eat, drink or smoke when using this product. No specific hygiene procedures recommended but good personal hygiene practices should always be observed when working with chemical products.

**7.2 Conditions for safe storage, including any incompatibilities**

Store in tightly-closed, original container in a dry, cool and well-ventilated place.

Storage temperature

Ambient. Flammable liquid storage.

Storage life

Stable under normal conditions.

Incompatible materials

None known.

**7.3 Specific end use(s)**

PC9a Coatings and paints, thinners, paint removers

**SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION****8.1 Control parameters**

## 8.1.1 Occupational Exposure Limits

| Occupational Exposure Limits                                 |           |                     |                                    |            |                           |      |
|--|-----------|---------------------|------------------------------------|------------|---------------------------|------|
| SUBSTANCE.   | CAS No.   | LTEL (8 hr TWA ppm) | LTEL (8 hr TWA mg/m <sup>3</sup> ) | STEL (ppm) | STEL (mg/m <sup>3</sup> ) | Note |
| Tungsten and compounds (as W) insoluble compounds and others | 7779-90-0 |                     | 5                                  |            | 10                        |      |

Region Source  
United Kingdom UK Workplace Exposure Limits EH40/2005 (Fourth edition, published 2020)

Remark Notes

**8.2 Exposure controls**

8.2.1. Appropriate engineering controls Use non-sparking ventilation systems, approved explosion-proof equipment, and intrinsically safe electrical systems. Ensure adequate ventilation. A washing facility/water for eye and skin cleaning purposes should be present.

## 8.2.2. Personal protection equipment



Eye Protection

Wear eye protection with side protection (EN166).



Skin protection

Wear protective clothing and gloves: Impervious gloves (EN 374).

Wear appropriate clothing to prevent any possibility of liquid contact and repeated or prolonged vapour contact.



Respiratory protection

No specific recommendations. Respiratory protection must be used if the airborne contamination exceeds the recommended occupational exposure limit.

**Smooth Metal Paint - White**

Thermal hazards

None known.

8.2.3. Environmental Exposure Controls Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. Store in a demarcated bunded area to prevent release to drains and/or watercourses. Keep container tightly sealed when not in use. Residues and empty containers should be taken care of as hazardous waste according to local and national provisions.

**SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES****9.1 Information on basic physical and chemical properties**

|  |  |
|--|--|
| Physical state   | Viscous liquid.  |
| Colour   | White.   |
| Odour  | Characteristic.  |
| Melting point/freezing point                             | Not known.   |
| Boiling point or initial boiling point and boiling range | Approx. 140°C.   |
| Flammability   | Not known.   |
| Lower and upper explosion limit                          | Lower flammable/explosive limit: 0.7% Upper flammable/explosive limit: 7%.     |
| Flash Point  | 38°C Closed cup.   |
| Auto-ignition temperature                                | Not known.   |
| Decomposition Temperature                                | Not known.   |
| pH   | Not known.   |
| Kinematic Viscosity                                      | >20.5 mm <sup>2</sup> /s   |
| Solubility   | Solubility (Water) : Immiscible with water.<br>Solubility (Other) : Not known. |
| Partition coefficient n-octanol/water (log value)        | Not known.   |
| Vapour pressure  | Not known.   |
| Density and/or relative density                          | 0.91 - 0.95.   |
| Relative vapour density                                  | Heavier than air.  |
| Particle characteristics                                 | Not known.   |

**9.2 Other information**

None.

**SECTION 10: STABILITY AND REACTIVITY****10.1 Reactivity**

Flammable/combustible materials.

**10.2 Chemical Stability**

Stable under normal conditions.

**10.3 Possibility of hazardous reactions**

No hazardous reactions known if used for its intended purpose.

**Smooth Metal Paint - White****10.4 Conditions to avoid**

Avoid heat, flames and other sources of ignition.

**10.5 Incompatible materials**

Avoid contact with the following materials: Acids. Oxidising agents.

**10.6 Hazardous decomposition products**Fire creates: Toxic gases/vapours/fumes of: Carbon monoxide (CO). Carbon dioxide (CO<sub>2</sub>).**SECTION 11: TOXICOLOGICAL INFORMATION****11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**

|                                |   |
|--------------------------------|---|
| Acute toxicity - Ingestion     | Calculation method : Not classified.                      |
| Acute toxicity - Skin Contact  | Calculation method : Not classified.                      |
| Acute toxicity - Inhalation    | Calculation method : Not classified.                      |
| Skin corrosion/irritation      | Calculation method : Not classified.                      |
| Serious eye damage/irritation  | Calculation method : Not classified.                      |
| Skin sensitization data        | Calculation method : May cause an allergic skin reaction. |
| Respiratory sensitization data | Calculation method : Not classified.                      |
| Germ cell mutagenicity         | Calculation method : Not classified.                      |
| Carcinogenicity                | Calculation method : Not classified.                      |
| Reproductive toxicity          | Calculation method : Not classified.                      |
| Lactation                      | Calculation method : Not classified.                      |
| STOT - single exposure         | Calculation method : May cause drowsiness or dizziness.   |
| STOT - repeated exposure       | Calculation method : Not classified.                      |
| Aspiration hazard              | Calculation method : Not classified.                      |

**11.2 Information on other hazards**

Not known.

**SECTION 12: ECOLOGICAL INFORMATION****12.1 Toxicity**

Harmful to aquatic life. Harmful to aquatic life with long lasting effects.

|                                    |                 |
|------------------------------------|-----------------|
| Toxicity - Aquatic invertebrates   | Not known.      |
| Toxicity - Fish                    | Not known.      |
| Toxicity - Algae                   | Not known.      |
| Toxicity - Sediment Compartment    | Not classified. |
| Toxicity - Terrestrial Compartment | Not classified. |

**12.2 Persistence and degradability**

Not known.

**12.3 Bioaccumulative potential**

Not known.

**12.4 Mobility in soil**

Not known.

**12.5 Results of PBT and vPvB assessment**

**Smooth Metal Paint - White**

Not known.

**12.6 Endocrine disrupting properties**

None known.

**12.7 Other adverse effects**

Not known.

**SECTION 13: DISPOSAL CONSIDERATIONS****13.1 Waste treatment methods**

Dispose of contents in accordance with local, state or national legislation. Recycle only completely emptied packaging. Containers must not be punctured or destroyed by burning, even when empty. Do not allow to enter drains, sewers or watercourses. Do NOT landfill. Normal disposal is via incineration operated by an accredited disposal contractor. Send to a licensed recycler, reclaimer or incinerator. Dispose of this material and its container to hazardous or special waste collection point. Dispose at suitable refuse site.

**13.2 Additional Information**

Disposal should be in accordance with local, state or national legislation.

**SECTION 14: TRANSPORT INFORMATION****14.1 UN number or ID number**

UN No. 1263

**14.2 UN proper shipping name**

UN proper shipping name PAINT

**14.3 Transport hazard class(es)**

ADR/RID

ADR/RID Class 3

ADR Classification Code F1

Special Provisions 163, 367, 650

Limited Quantities 5 L

Excepted Quantities E1

Emergency Action Code •3Y

Mixed Packing Instructions for Packages P001 IBC03 LP01 R001

Special Packing Provisions for Packages PP1

Mixed Packing Instructions for Packages MP19

Packing Instructions for Portable Tanks T2

Special Provisions for Portable Tanks TP1 TP29

Tank Code for Tanks LGBF

Special Provisions for Tanks

Vehicle for Tank Carriage FL

ADR Transport Category 3

Tunnel Restriction Code D/E



**Smooth Metal Paint - White**

|  |                      |
|--|----------------------|
| Special Provisions for Carriage - Packages                           | V12                  |
| Special Provisions for Carriage - Bulk                               |                      |
| Special Provisions for Carriage - Loading, Unloading and Handling    |                      |
| Special Provisions for Carriage - Operation                          | S2                   |
| ADR HIN  | 30                   |
| IMDG   |                      |
| IMDG Class   | 3                    |
| Special Provisions   | 163, 367, 650        |
| Limited Quantities   | 5 L                  |
| Excepted Quantities  | E1                   |
| Mixed Packing Instructions for Packages                              | P001 IBC03 LP01 R001 |
| Special Packing Provisions for Packages                              | PP1                  |
| Packing Instructions for Portable Tanks                              | T2                   |
| Special Provisions for Portable Tanks                                | TP1 TP29             |
| IMDG EMS   | F-E, S-E             |
| Stowage and Handling   | Category A           |
| Segregation  |                      |
| Marine Pollutant   |                      |
| ICAO/IATA  |                      |
| IATA Proper Shipping Name  | PAINT                |
| Excepted Quantities  | E1                   |
| Passenger and Cargo Aircraft Limited Quantities Packing Instructions | Y344                 |
| Passenger and Cargo Aircraft Limited Quantities Max net Qty          | 10L                  |
| Passenger and Cargo Aircraft Packing Instructions                    | 355                  |
| Passenger and Cargo Aircraft Max net Qty                             | 60L                  |
| Cargo Aircraft Packing Instructions                                  | 366                  |
| Cargo Aircraft Max net Qty   | 220L                 |
| Special Provisions   | A3, A72, A192        |
| Emergency Response Guidebook (ERG) Code                              | 3L                   |
| Labels   |                      |
| Labels   | 3                    |

**14.4 Packing group**

Packing group III

**Smooth Metal Paint - White****14.5 Environmental hazards**

Environmental hazards Not classified as a Marine Pollutant.

**14.6 Special precautions for user**

Special precautions for user Not known.

**14.7 Maritime transport in bulk according to IMO instruments**

No information available

**SECTION 15: REGULATORY INFORMATION****15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

European Regulations - Authorisations and/or Restrictions On Use

Candidate List of Substances of Very High Concern for Authorisation Not listed

High Concern for Authorisation

REACH: ANNEX XIV list of substances subject to authorisation Not listed

subject to authorisation

REACH: Annex XVII Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles Mutagens: category 1B (64742-48-9), Mutagens: category 1B (64742-95-6), trizinc bis(orthophosphate) (7779-90-0), cobalt bis(2-ethylhexanoate) (136-52-7)

Community Rolling Action Plan (CoRAP) trizinc bis(orthophosphate) (7779-90-0)

Regulation (EU) N° 2019/1021 of the European Parliament and of the Council on persistent organic pollutants Not listed

European Parliament and of the Council on persistent organic pollutants

Regulation (EC) N° 1005/2009 on substances that deplete the ozone layer Not listed

substances that deplete the ozone layer

Regulation (EU) N° 649/2012 of the European Parliament and of the Council concerning the export and import of hazardous chemicals Not listed

European Parliament and of the Council concerning the export and import of hazardous chemicals

**National regulations**

Other Not known.

**15.2 Chemical Safety Assessment**

A REACH chemical safety assessment has not been carried out.

**SECTION 16: OTHER INFORMATION**

The following sections contain revisions or new statements:

**LEGEND**

Hazard Pictogram(s)



GHS02



GHS07

**Smooth Metal Paint - White**

|                            |  |
|----------------------------|--|
|                            | GHS08: GHS: Health hazard  |
|                            | GHS09: GHS: Environment  |
| Hazard classification      | Flam. Liq. 3 : Flammable liquid, Category 3<br>Asp. Tox. 1 : Aspiration hazard, Category 1<br>Skin Sens. 1A : Skin sensitization, Category 1A<br>Eye Irrit. 2 : Serious eye damage/irritation, Category 2<br>STOT SE 3 : Specific target organ toxicity — single exposure, Category 3<br>STOT SE 3 : Specific target organ toxicity — single exposure, Category 3<br>Repr. 1B : Reproductive toxicity, Category 1B<br>Aquatic Acute 1 : Hazardous to the aquatic environment, Acute, Category 1<br>Aquatic Chronic 1 : Hazardous to the aquatic environment, Chronic, Category 1<br>Aquatic Chronic 2 : Hazardous to the aquatic environment, Chronic, Category 2<br>Aquatic Chronic 3 : Hazardous to the aquatic environment, Chronic, Category 3 |
| Hazard Statement(s)        | H226: Flammable liquid and vapour.<br>H304: May be fatal if swallowed and enters airways.<br>H317: May cause an allergic skin reaction.<br>H319: Causes serious eye irritation.<br>H335: May cause respiratory irritation.<br>H336: May cause drowsiness or dizziness.<br>H360F: May damage fertility.<br>H400: Very toxic to aquatic life.<br>H410: Very toxic to aquatic life with long lasting effects.<br>H411: Toxic to aquatic life with long lasting effects.<br>H412: Harmful to aquatic life with long lasting effects.   |
| Precautionary Statement(s) | P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.<br>P233: Keep container tightly closed.<br>P240: Ground and bond container and receiving equipment.<br>P241: Use explosion-proof electrical/ventilating/lighting/equipment.<br>P242: Use non-sparking tools.<br>P243: Take action to prevent static discharges.<br>P261: Avoid breathing dust/fume/gas/mist/vapours/spray.<br>P271: Use only outdoors or in a well-ventilated area.   |

**Smooth Metal Paint - White**

P272: Contaminated work clothing should not be allowed out of the workplace.

P273: Avoid release to the environment.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352: IF ON SKIN: Wash with plenty of water.

P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.

P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P312: Call a POISON CENTRE/doctor if you feel unwell.

P321: Specific treatment (see Medical Advice on this label).

P333+P313: If skin irritation or rash occurs: Get medical advice/attention.

P362+P364: Take off contaminated clothing and wash it before reuse.

P370+P378: In case of fire: Use water spray, dry powder or carbon dioxide to extinguish.

P403+P233: Store in a well-ventilated place. Keep container tightly closed.

P403+P235: Store in a well-ventilated place. Keep cool.

P405: Store locked up.

P501: Dispose of contents in accordance with local, state or national legislation.

## Acronyms

ADN : European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

ADR : European Agreement concerning the International Carriage of Dangerous Goods by Road

ATE : Acute Toxicity Estimate

CAS : Chemical Abstracts Service

CLP : Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures

DNEL : Derived No Effect Level

EC : European Community

EINECS : European Inventory of Existing Commercial Chemical Substances

IATA : International Air Transport Association

IBC : Intermediate Bulk Container

ICAO : International Civil Aviation Organization

IMDG : International Maritime Dangerous Goods

LTEL : Long term exposure limit

PBT : Persistent, Bioaccumulative and Toxic

PNEC : Predicted No Effect Concentration

REACH : Registration, Evaluation, Authorisation and Restriction of Chemicals

RID : Regulations concerning the International Carriage of Dangerous Goods by Rail

STEL : Short term exposure limit

STOT : Specific Target Organ Toxicity

UN : United Nations



### Smooth Metal Paint - White

vPvB : very Persistent and very Bioaccumulative

Key literature references and sources for Regulation (EC) No. 1272/2008 (CLP)  
data used to compile the SDS

#### Disclaimers

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Granville Oil & Chemicals Ltd gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Granville Oil & Chemicals Ltd accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.