

## Veedol Multigrade Super 10W/40

1 Litre & 5 Litre

### PRODUCT DESCRIPTION

Veedol Multigrade Super 10W-40 motor oil is based on a combination of high quality solvent refined mineral and synthetic base oils. By adding a well balanced choice of additives the following properties are obtained: high and stable viscosity index; fast cold start; strong resistance against oxidation; good detergency and dispersion; safe lubrication film at high temperatures; protection against wear, corrosion and foaming. Veedol Multigrade Super 10W-40 is recommended for use in petrol and diesel engines, with or without turbo-charging, in passenger cars and delivery vans.

### OEM APPROVALS

MB-Approval: 229.1

### RECOMMENDED FOR USE BY VEEDOL FOR THE FOLLOWING MANUFACTURER'S SPECIFICATIONS

ACEA: A3/B4  
API: SL/CF  
VW: 502.00 & 505.00

### PRODUCT BENEFITS

- \* OEM Approved product
- \* Good detergency and dispersion
- \* Strong protection against wear, corrosion and foaming

### PRODUCT USAGE

Recommended for applications where this grade and specification of lubricant is required

### DIRECTIONS FOR USE

Use as per the engine manufacturers handbook



\* Image for illustrative purposes only.

SIZE	PART NO	BARCODE
1 Litre	5020	5020618050209
5 Litre	5021	5020618050216



# Veedol Multigrade Super 10W/40

1 Litre & 5 Litre

## STORAGE INSTRUCTIONS

Store sealed and upright in a cool dry place out of the reach of children

## SHELF LIFE

5 years from date of manufacture

<b>Appearance</b>	: Amber oily liquid
<b>Odour</b>	: Characteristic
<b>Specific Gravity</b>	: 0.873
<b>Solubility</b>	: Insoluble in water

## SAFETY PRECAUTIONS

Please see our latest EC Safety Data Sheets for details.

## TRANSPORT CLASSIFICATION

Please see our latest EC Safety Data Sheets for details.

