

## TECHNICAL DATA

# Granville FS-PC 0W/20

1 Litre, 5 Litre, 20 Litre & 199 Litre

#### PRODUCT DESCRIPTION

Granville FS-PC 0W/20 is a specially formulated fully synthetic mid-SAPS engine oil to meet the performance and protection requirements of the very latest Stellantis group B71 2010 specification for models where this specification of oil is required. Specially selected additives and base stocks offer excellent fuel economy whilst protecting against Low Speed Pre-Ignition engine (LSPI).

### RECOMMENDED FOR USE BY GRANVILLE FOR THE FOLLOWING MANUFACTURER'S SPECIFICATIONS

ACEA: C5 API: SP

Fiat: 9.55535-DM1 PSA: B71 2010

#### **PRODUCT BENEFITS**

- \* Outstanding protection at cold start up.
- \* Superior fuel economy
- \* Robust engine protection
- \* Protects against LSPI

# Granville OW/20 FULLY SYNTHATE PROPERTY OF THE PROPERTY OF

\* Image for illustrative purposes only.

SIZE	PART NO	BARCODE
1 Litre	1154	5020618011545
5 Litre	1155	5020618011552
20 Litre	1156	5020618011569
199 Litre	1157	5020618011576

#### PRODUCT USAGE

Use as recommended by the vehicle manufacturer.

#### **DIRECTIONS FOR USE**

As per the vehicle handbook

#### STORAGE INSTRUCTIONS

Revision: 3 | Date: 16/10/2024

Store sealed and upright in a cool dry place





## TECHNICAL DATA

# Granville FS-PC 0W/20

1 Litre, 5 Litre, 20 Litre & 199 Litre

#### **SHELF LIFE**

5 years from date of manufacture

Appearance : Amber Liquid

Odour : Characteristic

Solubility : Insoluble in water

Test	Method	Unit	Min.	Max.	Typical
Viscosity, Kinematic 100°c	ASTM D445	mm²/s	6.9	<9.3	8.1
Viscosity, CCS -35°c	ASTM D4684	mPa.s		6200	
Total Base Number	ASTM D2896	mg KOH/g	7		9.7
Pour Point	ASTM D97	°c		-35	
HTHS Viscosity	ASTM D4683	mPa.s	2.6	<2.9	
NOACK Volatility	ASTM D5800	%		11	
Viscosity, Kinematic 40°c	ASTM D445	mm²/s			43.2
Viscosity Index	ASTM D2270				162
Density	ASTM D792	@ 15°c			0.85

#### **SAFETY PRECAUTIONS**

Revision: 3 | Date: 16/10/2024

Please see our latest EC Safety Data Sheets for details.

#### TRANSPORT CLASSIFICATION

Please see our latest EC Safety Data Sheets for details.

